

LOCAL GOVERNMENTS AND ORGANIZATIONS:

PINELLAS COUNTY BOARD OF COUNTY COMMISSIONERS
HILLSBOROUGH COUNTY BOARD OF COUNTY COMMISSIONERS
DIRECTOR, TAMPA PORT AUTHORITY
CITY OF ST. PETERSBURG
CITY OF TAMPA


LOCAL PROPERTY OWNERS:

HARBOR ISLES HOME OWNERS


MEDIA:

TAMPA TRIBUNE
ST. PETERSBURG TIMES

FOR THE COMMANDER:


Gordon M. Butler, Jr.
Chief, Construction-Operations
Division

Enclosure



DEPTHS IN FEET NGVD

For Cross Sections A-A, B-B and C-C
See PN DRAWING NO. 3.

SCALE IN FEET




-500 0 500 1000

U.S. ARMY CORPS OF ENGINEERS	
JACKSONVILLE DISTRICT, JACKSONVILLE, FLORIDA	
PN-CO-HIL-254	
PLACEMENT OF DREDGED MATERIAL	
IN	
HARBOR ISLE LAKE	
PINELLAS COUNTY, FLORIDA	
PLAN VIEW	
REV: MAY 01	PN DRAWING NO. 2

Depth in Ft. N.G.V.D.


0'
10'
20'
30'



RCE. 1200
RCE. 800
RCE. 400
RCE. 0
RCE. -400

Depth in Ft. N.G.V.D.


0'
10'
20'
30'



RCE. 1200
RCE. 800
RCE. 400
RCE. 0
RCE. -400

Depth in Ft. N.G.V.D.

0'
10'
20'
30'





0'
10'
20'
30'

U.S. ARMY CORPS OF ENGINEERS
JACKSONVILLE DISTRICT, JACKSONVILLE, FLORIDA

PN-CO-HIL-254
PLACEMENT OF DREDGED MATERIAL
IN
HARBOR ISLE LAKE
PINELLAS COUNTY, FLORIDA
CROSS SECTIONS

REV: MAY 01

PN DRAWING NO. 3



U.S. ARMY CORPS OF ENGINEERS JACKSONVILLE DISTRICT, JACKSONVILLE, FLORIDA	
PN-CO-HIL-254 PLACEMENT OF DREDGED MATERIAL IN HARBOR ISLE LAKE PINELLAS COUNTY, FLORIDA LOCATION MAP	
REV: MAY 01	PN DRAWING NO. 1



Jan 01
CITY OF ST. PETERSBURG

POST OFFICE BOX 2842, ST. PETERSBURG, FLORIDA 33731-2842

WEB SITE: www.stpete.org CHANNEL 35 WSPF-TV

TELEPHONE: 727 893-7171

June 27, 2001

Mr. Gordon M. Butler, Jr.
Chief, Construction Operations Division
U.S. Army Corps of Engineers
P. O. Box 4970
Jacksonville, FL 32232-0019

Dear Mr. Butler:

Re: Public Notice: Dredged Material Placement - Harbor Isle Lake
Public Notice No. PN-CO-HIL-254

In reference to the above public notice, please be advised that the City of St. Petersburg maintains an interest in the proposed dredged material placement, as the owner of the lake bottom lands, and in its representation of the surrounding property owners.

Pursuant to the above, a meeting was held with the Harbor Isle Homeowners Association on June 21, 2001, wherein the Association voted to allow filling of the lake to a depth of 11 - 12 feet, as measured by from the surface water elevation of 98.1 (St. Pete Datum, MSL = 97.00). Furthermore, the Association voted that the sediment shall be clean and consist of approximately two-thirds bay bottom sands, with no more than one-third of silty sands.

The City of St. Petersburg endorses and accepts the Homeowners Association's position in this matter, and respectfully requests your adherence to the same, in the proposal to fill the lake with dredged materials.

Attached please find a letter from the homeowners association regarding this matter.

Sincerely,

Michael J. Connors
Michael J. Connors, P.E.
Engineering, Stormwater & Transportation Director

MJC:dls

Enclosure

cc: Gary Marston, Harbor Isle Homeowners Association

Harbor Isle Homeowners Association

PO Box 21544
St Petersburg, FL 33742-5444

CITY OF ST. PETERSBURG, FL
ENGINEERING DEPT.

01 JUN 26 AM 8:57

RECEIVED

June 24, 2001

City of St Petersburg
Engineering, Stormwater & Transportation Dept
Director Michael J. Connors
PO Box 2842
St Petersburg, FL 33731

Dear Mike:

First, I want to thank you for your willingness to spend your personal time to explain the Harbor Isle Lake problem with the Board of Directors and our neighborhood residents at our June 2001 General Membership meeting. I fully believe your understanding of our problem and experience in dealing with these types of matters citywide truly helped our residents learn how to best deal with our lake's poor water quality issues. Your patience and breadth of knowledge of the issue helped our interested neighbors understand the importance of taking corrective action now, even though many probably arrived at the meeting with the intent to vote against our proposed lake-saving initiatives.

For the record, let me recapitulate what transpired on the evening of Thursday, June 21, 2001:

The Harbor Isle Homeowners Association held its semi-annual General Membership meeting at 7:00pm at Faith Covenant Church in Northeast St Petersburg. The sole topic of discussion was the poor water quality of the unnamed body of water otherwise known as Harbor Isle Lake. A quorum, 36 Harbor Isle homeowners, attended, an estimated 28 of whom own property adjoining the subject lake.

The discussion focused around the present (poor) condition of the lake, the causes for that condition, and a two-part proposal to remedy the situation. In an effort to improve the water quality, we discussed our present request to the Army Corps of Engineers for dredge material placement in Harbor Isle Lake. We discussed our hopes that this initial project would help prevent future fish-kills, as the one experienced in that lake in November 2000. Although we also discussed a follow-up project to allow tidal flushing of a cleaner, shallower Harbor Isle Lake, we only **voted** upon the following at this meeting:

"Request that the Army Corps of Engineers fill the lake to a depth of 11-12 feet (as measured from the surface elevation of 98.1 feet). Also, request that the fill material used be clean and consist of no lesser quality than two-thirds (bay-bottom) sands, and no more than a third silty sands."


Number IN FAVOR: 30 Number AGAINST: 2 Abstained: 4

In addition, 17 homeowners, who could not be present for the meeting, signed a proxy vote. All 17 voted **in favor of** Harbor Isle Homeowners Association's handling of the lake matters.

So, on behalf of the Harbor Isle Homeowners Association and concerned residents, please proceed with a formal request to the Army Corps of Engineers to fill our lake in accordance with the specifications agreed upon, above, by our membership.

Thank you again for you high level of concern and unwavering commitment to improve the health of our lake.

Sincerely,



Gary P. Marston
President, Harbor Isle Homeowners Association

B 10 July 01
Hanson
2 July 2001

Gordon M. Butler Jr.
Chief, Construction-Operations Division
Jacksonville District Corps. of Engineers
P.O. Box 4970
Jacksonville, FL 32232-0019

cc: Rick Baker - Mayor of St. Petersburg, FL
M. J. Connors - Director Engineering & Stormwater, City of St. Petersburg, FL

Dear Mr. Butler:

This letter is in response to your letter, Public Notice No. PN-CO-HIL-254 dated on 8 June 2001 regarding the proposed fill of Harbor Isle Lake in St. Petersburg, FL. We are requesting a public hearing on this matter in order to address our major concerns with this proposed project. We are property owners located on Harbor Isle lake. We have a concerted interest in the aesthetic looks of this lake as well as the health and quality of the water in it. We have lived on this lakefront property for almost 14 years. We have never experienced the "**major fish kills**" you stated in your letter due to a lack of oxygen in the water of this lake. Last November we experienced our first significant fish kill in Harbor Isle lake. The City of St. Petersburg stated in a report that this fish kill was due to a naturally caused thermal inversion of the lake. This thermal inversion was due to a rare and unique occurrence of cooler than normal temperatures, a sudden heavy rain fall and a number of other complex factors occurring simultaneously. It was publicly discussed that this was the only time a significant thermal inversion resulted in a major fish kill over the 24 year history of the lake.

In the public notice letter, the Army Corp of Engineers proposes to fill the lake with an *unspecified* soil sediment to a 6 foot depth from various *unspecified* channels throughout Tampa Bay. We as lakefront property homeowners are opposed to this ill defined project. We have not seen any prior success/failure rate project data, feasibility or developmental studies conducted, nor any environmental data from your agency nor anyone else on how this project's environmental goals are to be accomplished. There have been no similar projects attempted nor referenced in which a brackish lake was filled with sludge, sand and silt as you propose. There are a number of issues raised by filling this lake. First is the risk of increase growth of *unwanted* vegetation such as cattails and algae blooms with shallower water depths and warmer average water temperatures. A second liability will be an increased concentration of pollutants from stormwater, pesticide and fertilizer runoff into the lake due to its reduced water volume. A third exposure is the visual look of the lake that may change especially with the proposed future lowering of the lake elevation. The lake shoreline will be altered as well as the surface area size reduced. There has been no studies, analysis or plans presented addressing any of these issues. No comparable projects were presented that could be used as a guide to evaluate this project.

The local paper reports how Florida lakes now have a large amount of sludge and sediment on their bottoms due to their shallow nature, excessive vegetation and years of pollution. There are many projects desiring funding to dredge these lake bottoms and deepen them. Yet you are proposing filling our lake with sludge to improve water quality. This is contradictory to what others are attempting and have been doing to clean up their lakes over the last few years.

- Explain your statement on the “major fish kills” and data regarding the degrading water quality of Harbor Isle lake.
- Has there been any environmental or wild life studies or water quality data taken over the years on Harbor Isle lake that indicate a significant degradation?
- What mechanisms are increasing the pollution levels in the lake and how does reducing the water volume decrease these concentrations?
- How will filling this lake with sediment (*sludge, silt, and sand*) from some of the most polluted Tampa Bay harbor waters improve our lake water quality?
- What studies, analysis or water quality data justify this lake filling action?
- What will happen to existing fish and wildlife during the lake filling?
- How will the improved water quality be verified after the proposed filling?
- Who will provide the resources and funds necessary to correct matters if unknown undesired outcomes become reality?
- Will the City of St. Petersburg be accountable and assume project responsibility?

We are opposed to filling this lake to any proposed depth without the proper analysis and studies done beforehand. There has been no studies conducted or any analysis stating that filling our lake to 12 feet will improve an unknown water quality. Many assumptions are being made to probable outcomes and there is a strong possibility that other factors have not been taken into account. The lack of understanding of what actually is happening in this body of water concerns us.

We do not believe the rationalization for this project is justified at this time. There is only a limited or non-existent understanding of the natural conditions within and around the lake as it exists. Also the known and unknown risks outweigh the nebulous benefits.

If the only desire is to increase oxygen concentration in Harbor Isle lake to improve water quality, there are alternate methods that have not been investigated nor evaluated. For instance, a continuous laminar flow inversion system is used in man-made and natural lakes may be feasible to increase oxygen levels and improve water quality with limited risk and it is reversible.

Thank you for your consideration in these matters. We are looking forward to your written response to these issues.

Sincerely,

A handwritten signature in cursive script, appearing to read "Karen G. Pastula".

Karen G. Pastula

1769 72 Avenue NE
St. Petersburg FL 33702

A handwritten signature in cursive script, appearing to read "Charles J. Dubauskas".

Charles J. Dubauskas



STATE OF FLORIDA
DEPARTMENT OF COMMUNITY AFFAIRS

"Dedicated to making Florida a better place to call home"

JEB BUSH
Governor

STEVEN M. SEIBERT
Secretary

June 4, 2001

Ms. Patricia Hanson
Department of the Army
Jacksonville District Corps of Engineers
Post Office Box 4970
Jacksonville, Florida 32232-0019

RE: Department of the Army - Jacksonville District Corps of Engineers - Maintenance
Dredging of the St. Petersburg Harbor Navigation Project for Placement of
Dredged Material on Egmont Key - Public Notice Number: PN-SP-227 - Pinellas
County, Florida
SAI: FL200012200789C

Dear Ms. Hanson:

The Florida State Clearinghouse, pursuant to Presidential Executive Order 12372, Gubernatorial Executive Order 95-359, the Coastal Zone Management Act, 16 U.S.C. §§ 1451-1464, as amended, and the National Environmental Policy Act, 42 U.S.C. §§ 4321, 4331-4335, 4341-4347, as amended, has coordinated a review of the above-referenced project.

Based on the information contained in the above-referenced notice and the enclosed comments provided by our reviewing agencies, the state has determined that the above-referenced project is consistent with the Florida Coastal Management Program.

Thank you for the opportunity to review this project. If you have any questions regarding this letter, please contact Ms. Jasmin Raffington at (850) 922-5438.

Respectfully,

W. Craig Fugate, Interim Director
Division of Emergency Management and Acting Executive
Director, Florida Coastal Management Program

WCF/cc
Enclosures

2555 SHUMARD OAK BOULEVARD • TALLAHASSEE, FLORIDA 32399-2100
Phone: 850.488.8466/Suncom 273.8466 FAX: 850.921.0781/Suncom 291.0781
Internet address: <http://www.dca.state.fl.us>

COUNTY: Pinellas

DATE: 12/20/2000

COMMENTS DUE DATE: 01/19/2001

CLEARANCE DUE DATE: 02/02/2001

SAI#: FL200012200789C

Message:

STATE AGENCIES

WATER MANAGEMENT DISTRICTS

OPB POLICY UNITS

Community Affairs
X Environmental Protection
Fish & Wildlife Conserv. Comm
State
Transportation

Southwest Florida WMD

RECEIVED
DEC 22 2000
OIP/OLGA

The attached document requires a Coastal Zone Management Act/Florida Coastal Management Program consistency evaluation and is categorized as one of the following:

— Federal Assistance to State or Local Government (15 CFR 930, Subpart F). Agencies are required to evaluate the consistency of the activity.

— Direct Federal Activity (15 CFR 930, Subpart C). Federal Agencies are required to furnish a consistency determination for the State's concurrence or objection.

— Outer Continental Shelf Exploration, Development or Production Activities (15 CFR 930, Subpart E). Operators are required to provide a consistency certification for state concurrence/objection.

— Federal Licensing or Permitting Activity (15 CFR 930, Subpart D). Such projects will only be evaluated for consistency when there is not an analogous state license or permit.

Project Description:

Department of the Army - Jacksonville District
Corps of Engineers - Maintenance Dredging of
the St. Petersburg Harbor Navigation Project for
Placement of Dredged Material on Egmont Key -
Public Notice Number - PN-SP-227 - Pinellas
County, Florida

RECEIVED
JAN 23 2001

State of Florida Clearinghouse

To: Florida State Clearinghouse

Department of Community Affairs
2555 Shumard Oak Boulevard
Tallahassee, FL 32399-2100
(850) 922-5438 (SC 292-5438)
(850) 414-0479 (FAX)

EO. 12372/NEPA

- ☒ No Comment
☐ Comments Attached
☐ Not Applicable

Federal Consistency

- ☒ No Comment/Consistent
☐ Consistent/Comments Attached
☐ Inconsistent/Comments Attached
☐ Not Applicable

Activity was permitted
and has been completed.

JPM

From:

Division/Bureau: FDEP, OIP

Reviewer: James P. Milligan

Date: 1/16/01

COUNTY: Pinellas

DATE: 12/20/2000

COMMENTS DUE DATE: 01/19/2001

CLEARANCE DUE DATE: 02/02/2001

Message:

SAI#: FL200012200789C

STATE AGENCIES

WATER MANAGEMENT DISTRICTS

OPB POLICY UNITS

Community Affairs
Environmental Protection
Fish & Wildlife Conserv. Comm
X State
Transportation

Southwest Florida WMD

Pinellas
SAI-COIPS
2000-10632
OK
RECEIVED
MAR 12 2001
COPIED 22 APR 11 1997
NOT FOR DISTRIBUTION

State of Florida Clearinghouse

The attached document requires a Coastal Zone Management Act/Florida Coastal Management Program consistency evaluation and is categorized as one of the following:

— Federal Assistance to State or Local Government (15 CFR 930, Subpart F). Agencies are required to evaluate the consistency of the activity.

— Direct Federal Activity (15 CFR 930, Subpart C). Federal Agencies are required to furnish a consistency determination for the State's concurrence or objection.

— Outer Continental Shelf Exploration, Development or Production Activities (15 CFR 930, Subpart E). Operators are required to provide a consistency certification for state concurrence/objection.

— Federal Licensing or Permitting Activity (15 CFR 930, Subpart D). Such projects will only be evaluated for consistency when there is not an analogous state license or permit.

Project Description:

Department of the Army - Jacksonville District
Corps of Engineers - Maintenance Dredging of
the St. Petersburg Harbor Navigation Project for
Placement of Dredged Material on Egmont Key -
Public Notice Number - PN-SP-227 - Pinellas
County, Florida

To: Florida State Clearinghouse

EO. 12372/NEPA

Federal Consistency

Department of Community Affairs
2555 Shumard Oak Boulevard
Tallahassee, FL 32399-2100
(850) 922-5438 (SC 292-5438)
(850) 414-0479 (FAX)

☒ No Comment
☐ Comments Attached
☐ Not Applicable

☒ No Comment/Consistent
☐ Consistent/Comments Attached
☐ Inconsistent/Comments Attached
☐ Not Applicable

From:

Division/Bureau:

Reviewer:

Date:

Janet Snyder
3/7/2001

COUNTY: Pinellas

DATE: 12/20/2000

COMMENTS DUE DATE: 01/19/2001

CLEARANCE DUE DATE: 02/02/2001

Message:

SAI#: FL200012200789C

STATE AGENCIES

WATER MANAGEMENT DISTRICTS

OPB POLICY UNITS

Community Affairs
Environmental Protection
Fish & Wildlife Conserv. Comm
State

X Transportation

Southwest Florida WMD

The attached document requires a Coastal Zone Management Act/Florida Coastal Management Program consistency evaluation and is categorized as one of the following:

— Federal Assistance to State or Local Government (15 CFR 930, Subpart F). Agencies are required to evaluate the consistency of the activity.

— Direct Federal Activity (15 CFR 930, Subpart C). Federal Agencies are required to furnish a consistency determination for the State's concurrence or objection.

— Outer Continental Shelf Exploration, Development or Production Activities (15 CFR 930, Subpart E). Operators are required to provide a consistency certification for state concurrence/objection.

— Federal Licensing or Permitting Activity (15 CFR 930, Subpart D). Such projects will only be evaluated for consistency when there is not an analogous state license or permit.

Project Description:

Department of the Army - Jacksonville District
Corps of Engineers - Maintenance Dredging of
the St. Petersburg Harbor Navigation Project for
Placement of Dredged Material on Egmont Key -
Public Notice Number - PN-SP-227 - Pinellas
County, Florida

To: Florida State Clearinghouse
Department of Community Affairs
2555 Shumard Oak Boulevard
Tallahassee, FL 32399-2100
(850) 922-5438 (SC 292-5438)
(850) 414-0479 (FAX)

EO. 12372/NEPA

Federal Consistency

☒ No Comment
☐ Comments Attached
☐ Not Applicable

☒ No Comment/Consistent
☐ Consistent/Comments Attached
☐ Inconsistent/Comments Attached
☐ Not Applicable

From:

Division/Bureau:

D-7 FDOT EMO

Reviewer:

Robin Rhinesmith

Date:

1/8/01



An Equal
Opportunity
Employer

Southwest Florida Water Management District

Tampa Service Office
7601 Highway 301 North
Tampa, Florida 33637-6759
(813) 985-7481 or
1-800-836-0797 (FL only)
SUNCOM 578-2070

Bartow Service Office
170 Century Boulevard
Bartow, Florida 33830-7700
(863) 534-1448 or
1-800-492-7862 (FL only)
SUNCOM 572-6200

2379 Broad Street, Brooksville, Florida 34604-6899
(352) 796-7211 or 1-800-423-1476 (FL only)
SUNCOM 628-4150 TDD only 1-800-231-6103 (FL only)
World Wide Web: <http://www.swfwmd.state.fl.us>

Venice Service Office
115 Corporation Way
Venice, Florida 34292-3524
(941) 486-1212 or
1-800-320-3503 (FL only)
SUNCOM 526-6900

Lecanto Service Office
3600 West Sovereign Path
Suite 226
Lecanto, Florida 34461-8070
(352) 527-8131
SUNCOM 667-3271

Ronald C. Johnson
Chair, Polk

Monroe "Al" Coogler
Vice Chair, Citrus

Sally Thompson
Secretary, Hillsborough

Ronnie E. Duncan
Treasurer, Pinellas

Edward W. Chance
Manatee

Thomas G. Dabney, II
Sarasota

Pamela L. Fentress
Highlands

Watson L. Haynes, II
Pinellas

Janet D. Kovach
Hillsborough

Heidi B. McCree
Hillsborough

John K. Renke, III
Pasco

E. D. "Sonny" Vergara
Executive Director

Gene A. Heath
Assistant Executive Director

William S. Bilensky
General Counsel

January 17, 2001
Ms. Cherie Trainor
Florida State Clearinghouse
Department Community Affairs
2555 Shumard Oak Boulevard
Tallahassee, Florida 32399-2100

Subject: Department of the Army - Jacksonville District Corps of Engineering - Maintenance
Dredging of the St. Petersburg Harbor Navigation Project for Placement of Dredged
Materials on Egmont Key - Public Notice Number - PN-SP-227- Pinellas County,
Florida

SAI#: FL 200012200789C

Dear Ms. Trainor:

The staff of the Southwest Florida Water Management District (District) has conducted a consistency evaluation for the project referenced above. Consistency findings are divided into four categories and are based solely on the information provided in the subject application.

FINDING	CATEGORY
X	Consistent/No Comment
	Consistent/Comments Attached
	Inconsistent/Comments Attached
	Consistency Cannot be Determined Without an Environmental Assessment Report/Comments Attached

This review does not constitute permit approval under Chapter 373, Florida Statutes, or any rules promulgated thereunder, nor does it stand in lieu of normal permitting procedures in accordance with Florida Statutes and District rules.

If you have any questions or if I can be of further assistance, please contact me in the District's Planning Department at extension 4412.


Sincerely,

Mehrshad Nourani
Planner II

CC: File
Terry Johnson

RECEIVED
JAN 22 2001

State of Florida Clearinghouse



Tampa Bay Regional Planning Council

Chairman
Mayor Pat Whitesel

Vice-Chairman
Terrye Bradley

Secretary/Treasurer
Councilman Jerry King

Executive Director
Manny L. Pumariega

February 16, 2001

RECEIVED
FEB 26 2001

Ms. Cherie L. Trainor, Coordinator
Florida State Clearinghouse
Florida Department of Community Affairs
2555 Shumard Oak Boulevard
Tallahassee, Florida 32399-2100

State of Florida Clearinghouse

Subject: IC&R #022-01, Maintenance Dredging of the St. Petersburg Harbor Navigation Project, SAI
#FL200012200789C, Pinellas County

Dear Ms. Trainor:

This letter constitutes acknowledgment and preliminary assessment of an application for the aforementioned project submitted under the provisions of Florida's Intergovernmental Coordination and Review (IC&R) process.

While we *do* find the proposal to be regionally significant, initial in-house review does not indicate the necessity for action by the Council. All member local governments will be notified of the application for any comments concerning local significance. The applicant will be contacted if any local concerns are identified.

In accordance with staff findings, and subject to concurrence of the Tampa Bay Regional Planning Council's (TBRPC) Clearinghouse Review Committee and TBRPC's full policy board, this project is considered to have met the requirement of Florida's IC&R process and no further review will be required by our agency. This letter constitutes compliance with IC&R only and does not preclude the applicant from complying with *other* applicable review/permit requirements or regulations.

If you have any questions, please do not hesitate to contact me.

Sincerely,

Angela Hurley, Research Planner
Intergovernmental Coordination & Review

AH/bj

**FLORIDA STATE CLEARINGHOUSE
RPC INTERGOVERNMENTAL COORDINATION
AND RESPONSE SHEET**

(project already
completed)

SAI #: FL200012200789C

DATE: 12/20/2000

COMMENTS DUE TO CLEARINGHOUSE: 01/19/2001

AREA OF PROPOSED ACTIVITY: COUNTY: Pinellas County

☐ FEDERAL ASSISTANCE ☐ DIRECT FEDERAL ACTIVITY ☐ FEDERAL LICENSE OR PERMIT ☐ OCS

PROJECT DESCRIPTION

Department of the Army - Jacksonville District Corps of Engineers - Maintenance Dredging of the St. Petersburg Harbor Navigation Project for Placement of Dredged Material on Egmont Key - Public Notice Number - PN-SP-227 - Pinellas County, Florida

ROUTING:**RPC**

X Tampa Bay RPC

PLEASE CHECK ALL THE LOCAL GOVERNMENTS BELOW FROM WHICH COMMENTS HAVE BEEN RECEIVED; ALL COMMENTS RECEIVED SHOULD BE INCLUDED IN THE RPC'S CLEARINGHOUSE RESPONSE PACKAGE. IF NO COMMENTS WERE RECEIVED, PLEASE CHECK "NO COMMENT" BOX AND RETURN TO CLEARINGHOUSE.

COMMENTS DUE TO RPC: 01/10/2001

Pinellas CountyNO COMMENTS: 

(IF THE RPC DOES NOT RECEIVE COMMENTS BY THE DEADLINE DATE, THE RPC SHOULD CONTACT THE LOCAL GOVERNMENT TO DETERMINE THE STATUS OF THE PROJECT REVIEW PRIOR TO FORWARDING THE RESPONSE PACKAGE TO THE CLEARINGHOUSE.)

NOTES:

ALL CONCERNS OR COMMENTS REGARDING THE ATTACHED PROJECT (INCLUDING ANY RPC COMMENTS) SHOULD BE SENT IN WRITING BY THE DUE DATE TO THE CLEARINGHOUSE. PLEASE ATTACH THIS RESPONSE FORM AND REFER TO THE SAI # IN ALL CORRESPONDENCE.

IF YOU HAVE ANY QUESTIONS REGARDING THE ATTACHED PROJECT, PLEASE CONTACT THE STATE CLEARINGHOUSE AT (904) 922-5438 OR SUNCOM 272-5438.